



Celeste A. Mooney <uictemp@wyo.gov>

Fwd: Crossed-Arrows Park

1 message

John Passehl <john.passehl@wyo.gov>
To: "Celeste A. Mooney" <uictemp@wyo.gov>

Thu, Jan 7, 2016 at 2:39 PM

WYS-029-00219

John Passehl, P.G.
Underground Injection Control Program
Geology Supervisor
Wyoming Dept of Environmental Quality

Physical Address:

122 W. 25th Street
Herschler Building, 4-W
Cheyenne, WY 82002

Mailing Address:

200 W. 17th St. 4th Floor
Cheyenne, WY 82002

(307) 777-5623
UIC GEM database:
<https://gem.wqd.apps.deq.wyoming.gov/default.aspx>

Entered Into Database

----- Forwarded message -----

From: **James Brough** <james.brough@wyo.gov>
Date: Wed, Jan 6, 2016 at 1:31 PM
Subject: Re: Crossed-Arrows Park
To: Gene Smith <gsmith@parkcounty.us>
Cc: Kathy Shreve <kathy.shreve@wyo.gov>, Hannes Stueckler <hannes.stueckler@wyo.gov>, John Passehl <john.passehl@wyo.gov>

Gene,

I believe that Kathy Shreve (307-777-6682) with the UIC program is involved. Attached are a few pictures on file. The first two pictures show the Crossed Arrows Subdivision. The next two were taken by Hannes. I believe that the pictures show surfacing sewage.

One-quarter size lot is small for conventional septic systems; a Presby system may work.

James S. Brough, P.E.
Northwest District Engineer
Water Quality Division

510 Meadowview Drive
Lander, WY 82520
307-335-6961 (office)
307-332-7726 (fax)
james.brough@wyo.gov

DEQ 0038

On Wed, Jan 6, 2016 at 12:42 PM, Gene Smith <gsmith@parkcounty.us> wrote:

James do you know what the status is on the Crossed-Arrows Park(north of Meeteetse) community SWW failure? Or who is handling the issue.

I have had two lot owners contact me, wanting to install individual systems but the lots are approximately ¼ ac. There is also a community water system, which may also have issues.

Sincerely,

Gene Smith

Small Wastewater Administrator

Park County Courthouse

1002 Sheridan Ave

Cody, Wyoming 82414

Attn: Planning & Zoning Dept.

307-527-8549 fax: 307-527-8515


gsmith@parkcounty.us

NOTICE: Any information created or obtained in the transaction of public business, including email, is considered public record and may be disclosed to third parties.

E-Mail to and from me, in connection with the transaction of public business, is subject to the Wyoming Public Records Act and may be disclosed to third parties.

E-Mail to and from me, in connection with the transaction of public business, is subject to the Wyoming Public Records Act and may be disclosed to third parties.

4 attachments



Crossed Arrows Subdivsion.JPG
2677K



Crossed Arrows Subdivsion (2).JPG
1977K



IMG_0169.JPG
5277K



IMG_0170.JPG
5585K











Kathy Shreve <kathy.shreve@wyo.gov>

Re: Crossed Arrows SD septic photos

1 message

Kathy Shreve <kathy.shreve@wyo.gov>
To: Linda Gillett <LGillett@parkcounty.us>

Thu, Dec 5, 2013 at 9:04 AM

Linda -

I've been working on a notice of violation and order for the Crossed Arrows subdivision. The problem is that no one is taking responsibility for this septic system. To that end, I was wondering if Park County has any information related to the Big Valley/Crossed Arrows Improvement District (BVCAID)? I've tried getting information from the Wyoming Secretary of State office, with no success. Specifically, I'm looking for anything that demonstrates that the BVCAID is responsible for the septic system and is charging folks to use it. And who the head of the BVCAID currently is.

Kathy Shreve

On Fri, Jul 20, 2012 at 11:04 AM, Linda Gillett <LGillett@parkcounty.us> wrote:

NOTICE: Any information created or obtained in the
transaction of public business, including email, is considered
public record and may be disclosed to third parties.

--
Kathy Shreve
Environmental Program Principal
Wyoming Department of Environmental Quality
Water Quality Division
307-777-6682

DEQ 0047



Kathy Shreve <kathy.shreve@wyo.gov>

Big Valley Crossed Arrows Improvement District

1 message

Kathy Shreve <kathy.shreve@wyo.gov>
To: SOS Business <Business@wyo.gov>

Tue, Nov 12, 2013 at 4:20 PM

My name is Kathy Shreve, I work for the Wyoming Department of Environmental Quality, in the Water Quality Division, and I'm trying to find information on the water and sewer improvement district called "Big Valley Crossed Arrows Improvement District". I have a copy of their most recent bylaws, but am looking for older versions. There is an issue with the sewer systems serving this improvement district, it has failed and is discharging onto the surface, and our office wants to take an enforcement action against this entity, but they are saying that they're not responsible. Their current bylaws say they're only responsible for potable water, but I talked to the gentleman who was the original owner, and he says that the original bylaws included the sewer and septic systems. So, I'm trying to determine why that portion of the bylaws was changed and why, and who's now responsible. I'd appreciate any help you can give me.

--

Kathy Shreve
Environmental Program Principal
Wyoming Department of Environmental Quality
Water Quality Division
307-777-6682



Kathy Shreve <kathy.shreve@wyo.gov>

Re: Crossed Arrows SD septic photos

1 message

Kathy Shreve <kathy.shreve@wyo.gov>
To: Linda Gillett <LGillett@parkcounty.us>

Thu, Dec 5, 2013 at 9:04 AM

Linda -

I've been working on a notice of violation and order for the Crossed Arrows subdivision. The problem is that no one is taking responsibility for this septic system. To that end, I was wondering if Park County has any information related to the Big Valley/Crossed Arrows Improvement District (BVCAID)? I've tried getting information from the Wyoming Secretary of State office, with no success. Specifically, I'm looking for anything that demonstrates that the BVCAID is responsible for the septic system and is charging folks to use it. And who the head of the BVCAID currently is.

Kathy Shreve

On Fri, Jul 20, 2012 at 11:04 AM, Linda Gillett <LGillett@parkcounty.us> wrote:

NOTICE: Any information created or obtained in the
transaction of public business, including email, is considered
public record and may be disclosed to third parties.

--
Kathy Shreve
Environmental Program Principal
Wyoming Department of Environmental Quality
Water Quality Division
307-777-6682



Kathy Shreve <kathy.shreve@wyo.gov>

Metetsee subdivision contacts

1 message

John Passehl <john.passehl@wyo.gov>
To: Kathy Shreve <kathy.shreve@wyo.gov>

Mon, Jul 23, 2012 at 8:38 AM

Water system: Wayne McBroom, 272-9657
Paul Fowler 868-2182

--
John Passehl, P.G.
Underground Injection Control Program
Geology Supervisor
Wyoming Dept of Environmental Quality

(307)777-5623
UIC GEM database:
<https://gem.wqd.apps.deq.wyoming.gov/default.aspx>

E-Mail to and from me, in connection with the transaction
of public business, is subject to the Wyoming Public Records
Act and may be disclosed to third parties.



Kathy Shreve <kathy.shreve@wyo.gov>

Re: Crossed Arrows Mobile Home Park.

1 message

Hannes Stueckler <hannes.stueckler@wyo.gov>
 To: Kathy Shreve <kathy.shreve@wyo.gov>

Wed, Jul 18, 2012 at 5:05 PM

It did not appear to reach the drainage.

Hannes Stueckler P.E.
Assistant Northwest District Engineer

Water and Wastewater Division
 Wyoming D.E.Q.

510 Meadowview Drive
 Lander, WY 82520
 307-335-6964 (office)
 307-332-7726 (fax)
hannes.stueckler@wyo.gov

On Wed, Jul 18, 2012 at 4:45 PM, Kathy Shreve <kathy.shreve@wyo.gov> wrote:

Hannes -

Could you tell when you did your inspection whether or not the septic system effluent that was daylighting was reaching a drainage? Even if it was a dry drainage?

If so, I might want to involve the WYPDES people...

Kathy Shreve

----- Forwarded message -----

From: John Passehl <john.passehl@wyo.gov>
 Date: Wed, Jul 18, 2012 at 3:59 PM
 Subject: Fwd: Crossed Arrows Mobile Home Park.
 To: Kathy Shreve <kathy.shreve@wyo.gov>

Kathy take a look at attachment and the enviroseptic system referenced below. You may want to require the engineer to evaluate this type system given the multiple failures of the crossed arrows leachfield system.

thanks

john

----- Forwarded message -----

From: Hannes Stueckler <hannes.stueckler@wyo.gov>
 Date: Wed, Jul 18, 2012 at 2:19 PM
 Subject: Crossed Arrows Mobile Home Park.
 To: John Passehl <john.passehl@wyo.gov>
 Cc: "Brough, James" <james.brough@wyo.gov>, Rich Cripe <rich.cripe@wyo.gov>

John,

It is the opinion of the Northwest District Engineer's office that the Crossed Arrows Mobile Home Park waste treatment system could potentially see flows greater than 2000 gallons per day; therefore, it is our opinion that the regulation of that system falls under the jurisdiction of the UIC program.

The existing system has failed, and is currently surfacing septic tank effluent.

Our records of the system, as provided to you electronically this morning, indicate that this location has had drain field problems throughout its existence, with the first failure being reported in 1991, and several after that. It is my suspicion that it never worked correctly.

There are several good technologies for dealing with sites like this. One particularly cost effective solution is provided by Presby Environmental. Their EnviroSeptic drainfield product works well in tight soils, and can be rejuvenated without having to dig the whole thing up.

Please find my latest field report attached to this email.

DEQ 0109

Hannes Stueckler P.E.
Assistant Northwest District Engineer

Water and Wastewater Division
Wyoming D.E.Q.

510 Meadowview Drive
Lander, WY 82520
307-335-6964 (office)
307-332-7726 (fax)
hannes.stueckler@wyo.gov

E-Mail to and from me, in connection with the transaction of public business, is subject to the Wyoming Public Records Act and may be disclosed to third parties.

--

John Passehl, P.G.
Underground Injection Control Program
Geology Supervisor
Wyoming Dept of Environmental Quality

(307)777-5623
UIC GEM database:
<https://gem.wqd.apps.deq.wyoming.gov/default.aspx>

E-Mail to and from me, in connection with the transaction of public business, is subject to the Wyoming Public Records Act and may be disclosed to third parties.

--

Kathy Shreve
Environmental Program Principal
Wyoming Department of Environmental Quality
Water Quality Division
307-777-6682

E-Mail to and from me, in connection with the transaction of public business, is subject to the Wyoming Public Records Act and may be disclosed to third parties.

E-Mail to and from me, in connection with the transaction of public business, is subject to the Wyoming Public Records Act and may be disclosed to third parties.



Kathy Shreve <kathy.shreve@wyo.gov>

FW: Crossed Arrows Park Failed Community System

1 message

Linda Gillett <LGillett@parkcounty.us>

Fri, Jul 20, 2012 at 11:03 AM

To: "kathy.shreve@wyo.gov" <kathy.shreve@wyo.gov>

[Kathy: More info. LG](#)

From: Gene Smith
Sent: Friday, July 20, 2012 9:01 AM
To: Linda Gillett
Subject: FW: Crossed Arrows Park Failed Community System

From: Gene Smith
Sent: Wednesday, May 23, 2012 3:14 PM
To: 'Hannes Stueckler'
Subject: Crossed Arrows Park Failed Community System

Hannes,

I've attached a map, and I'll send you pictures of the Failed system tomorrow. I'll be going to Meeteetse for an inspection and will stop in and take a few pictures. In researching the mailing addresses I have found that Glen and Terry Moore who own the property (Lot 4 of Big Valley) where the septic tank and field are located also own several lots in the Park.

Property Owners: All P.O. Boxes are in Meeteetse, Wy 82433 unless shown differently.

Glen & Terry Moore Lots 1,2,5,6,7,9,&11 as well as Lots 3 & 4 of Big Valley Sub.

P.O. Box 254 Meeteetse, Wy 82433

Byran Anderson Lots 3 & 4

P.O. Box 254

DEQ 0111

Stephen & Audrey Smith Lot 8

P.O. Box 279

Randall & Teresa Faugh Faugh Lots 10 & 12

P.O. box 135

Brenda Edwards Lots 13,15, & 17

342 W Liberty St Weiser, Id 83672

Anthony Graves Lots 14,16, & 18

P.O. Box 357

David & Mary Flores Lots 19 & 20

P.O. Box 93

Gary & Debra Grotegut Lot 21

1579 Acorn Road Waukon, IA 52172

Clinton & Yalanda Fewell

1036 Warden Street Fort Worth, Tx 76126-2506

Paul & Joie Fowler Lots 23, 24,25, & 26

Mail to: Garret Alksnitis P.O. Box 296

Garret was the one who contacted us. I told him I had given you his contact information. Cell # [307-221-1441](tel:307-221-1441)

Sincerely,

Gene Smith

Small Wastewater Administrator

Park County Courthouse

1002 Sheridan Ave

Cody, Wyoming 82414

Attn: Planning & Zoning Dept.

307-527-8549 fax: 307-527-8515

gsmith@parkcounty.us

NOTICE: Any information created or obtained in the transaction of public business, including email, is considered public record and may be disclosed to third parties.

 **CROSSED ARROWS PARK_20120523133525.pdf**
174K



Kathy Shreve <kathy.shreve@wyo.gov>

Crossed Arrows SD septic photos

1 message

Linda Gillett <LGillett@parkcounty.us>
To: "kathy.shreve@wyo.gov" <kathy.shreve@wyo.gov>

Fri, Jul 20, 2012 at 11:04 AM

NOTICE: Any information created or obtained in the transaction of public business, including email, is considered public record and may be disclosed to third parties.

2 attachments



#2 CA.jpg
1327K



Crosssed Arrows Park.jpg
1327K