

NORTH

SOUTH




FIGURE 4.20 CROSS-SECTION F-F' FOR THE PROPOSED BROOK MINE (NO MINING IS PLANNED ALONG THIS CROSS-SECTION)

CROSS-SECTIONS F-F' FOR THE PROPOSED RAMACO MINE, SHERIDAN, WY. (NO MINING IS PLANNED ALONG THIS CROSS-SECTION)

LQD

JAN 27 2017

RECEIVED




FIGURE 4.21 CROSS-SECTIONS G-G' AND H-H' SHOWING MINING BLOCK AND TRENCH EXTENTS FOR THE PROPOSED BROOK MINE

LQD  
 JAN 27 2017  
 RECEIVED




FIGURE 4.22 CROSS-SECTION I-I' SHOWING MINING BLOCK AND TRENCH EXTENTS FOR THE PROPOSED BROOK MINE

LQD

JAN 27 2017

RECEIVED




FIGURE 4.23 CROSS-SECTION J-J' SHOWING MINING BLOCK AND TRENCH EXTENTS FOR THE PROPOSED BROOK MINE

LQD  
 JAN 27 2017  
 RECEIVED





FIGURE 4.24 CROSS-SECTION K-K' SHOWING MINING BLOCK AND TRENCH EXTENTS FOR THE PROPOSED BROOK MINE

LQD

JAN 27 2017

RECEIVED



LOD

FIGURE 5.1 SUBSIDENCE FAILURE MECHANICS OF ROOM-AND-PILLAR WORKINGS AND THE OVERBURDEN

JAN 27 2017

RECEIVED




FIGURE 7611 MINE APPLICATION BOUNDARY AND OUTLINE OF VISIBLE MINE SUBSIDENCE OVER EXISTING UNDERGROUND WORKINGS

LQD  
JAN 27 2017  
RECEIVED



— Outline of visible subsidence.



SCALE  
0 200FT.

RECEIVED  
JAN 27 2017  
LOD

FIGURE 7.2 AREA 1 MINE SUBSIDENCE FROM UNDERGROUND MINING OF THE CARNEY NO. 44 MINE. MINE DEPTH IN NOTED SUBSIDENCE AREA RANGED FROM 50 TO 160 FT. (ADD\_D5-4\_EX\_1\_OVB\_ISO\_R1)





RECEIVED  
JAN 27 2017

FIGURE 37-3 AREA 2 MINE SUBSIDENCE FROM UNDERGROUND MINING OF THE OLD AGME NUMBER 3 MINE IN THE UPPER CARNEY SEAM. MINE DEPTH IN THE NOTED SUBSIDENCE AREAS IS 60 TO ABOUT 160 FT. (ADD\_D5-4\_EX\_1\_OVB\_ISO\_R1).



FIGURE 7.4 AREA 3 MINE SUBSIDENCE FROM UNDERGROUND MINING OF THE OLD MONARCH MINE IN THE MONARCH SEAM. MINE DEPTH IS APPROXIMATELY 35-50FT (DUNRUD, C. R., AND OSTERWALD, F.W., 1980).

Figure 6.4 Area 3 Mine subsidence from underground mining of the Old Monarch Mine in the Carney Seam. Mine depth is approximately 100 to 350ft.

RECEIVED  
JAN 27 2017  
LOG



FIGURE 7.5 AREA 4 MINE SUBSIDENCE FROM UNDERGROUND MINING OF DIETZ MINES NO. 5 TO 8. IN THE DIETZ COAL SEAMS AT ROUGHLY 20 TO 150 FT. BELOW GROUND SURFACE (DUNRUD, C. R., AND OSTERWALD, F.W., 1980).

JAN 27 2017

RECEIVED

TABLE 3.1 SUMMARY OF LABORATORY TEST RESULTS ON ROCK MOISTURE, DENSITY, AND BRAZILIAN AND UNIAXIAL COMPRESSION STRENGTHS

SAMPLE	BORING	DEPTH	MOISTURE CONTENT	WET DENSITY	BRAZILIAN TENSILE STRENGTH	UNIAXIAL COMPRESSION STRENGTH	REMARKS
CLAYSTONE	R13-019	150-152 FT.	10.0%	139 pcf	170 psi	--	immediate roof
CARNEY COAL	R13-019	152-153 FT.	25.0%	80.9 pcf	90 psi	1,460 psi	
SILTSTONE WITH CLAY	R13-019	168-169 FT.	8.8%	144.8 pcf	60 psi	500 psi	immediate floor
SILTSTONE	R13-023	110-112 FT.	7.9%	159.4 pcf	440 psi	3,500 psi	likely siltstone, main roof of the Upper Carney
COAL	R13-023	110-112 FT.	20.1%	79.1 pcf	--	--	Coal is not described at this depth - Upper Carney?

References: D5-5-4, D5-5-8, D5-5-10, D5-5-12

LOD  
 JAN 27 2017  
 RECEIVED

TABLE 4.1 DIETZ, MONARCH, CARNEY, AND MASTERS RELATED CONDITIONS PER BLOCK

DRAFT 1/20 UPDATED

MINE BLOCK	COAL SEAM	HEIGHT OF SEAM (FT.)	DEPTH OF SEAM TOP (FT.)	ROOF		FLOOR	
				HEIGHT (FT.)	THICKNESS (FT.)	DEPTH (FT.)	THICKNESS (FT.)
1	MONARCH	41	100-1115				
1	CARNEY	14	220-390				
1	MASTERS	5	235-405				
2	MONARCH	MINED OUT	MINED OUT				
2	CARNEY	15-16	120-185				
2	MASTERS	5	145-210				
3	MONARCH	13-15	0-30			29-32	20-32
3	CARNEY	16	80-130	20-35	20-32		
3	MASTERS	5	106-176				
4	MONARCH	13-15	0-30			29-32	20-32
4	CARNEY	16-17	130-370	20-35	20-32		
4	MASTERS	5	156-417				
5	CARNEY	16-17	70-260	3-50WP	0-36		
5	MASTERS	5	93-289				
6	CARNEY	17-18+	70-345	3-50WP	0-36		
6	MASTERS	5	97-373				
7	CARNEY	8-15	40-105				
7	MASTERS	5	58-160				
8	CARNEY	13-16+	30-225				
8	MASTERS	5	53-256				
9 EAST	CARNEY	6-16	100-220	12-13WP	0-12	7.5-9WP	0-3.5
9 EAST	MASTERS	6	126-256	6.5-7WP	0-3.5		
9 WEST	U CARNEY	4-8	80-220	17.5-18	16.5		
9 WEST	L CARNEY	5-8	85-231			12.5	2.5-4
9 WEST	MASTERS	6	100-259	10-11	2.5-4		
10 EAST	CARNEY	4-16	60-240	20WP	0-1.5		
10 EAST	MASTERS	6	74-286				
10 WEST	U CARNEY	4-8	120-200				
10 WEST	L CARNEY	4	125-211				
10 WEST	MASTERS	6	139-245				
11	U CARNEY	3-6	20-160	22-30 WP	0-10		
11	L CARNEY	4-8+	25-172			12	2.5-3.5
11	MASTERS	6	49-210	10-11	2.5-3.5		
12	U CARNEY	4	20-200	8-21WP	0-9		
12	L CARNEY	8-10	25-208			0-16WP	0-3
12	MASTERS	>6-12+	53-248	7.5-10WP	0-3		
13	DIETZ	0-8.5	0-25				
13	MONARCH	0-20	0-40				
13	U CARNEY	4	15-80				
13	L CARNEY	9	21-114				
13	MASTERS	6-14+	50-143				
14	DIETZ	8	0-6				
14	MONARCH	20	16-22				
14	U CARNEY	4	120-150				
14	L CARNEY	9	146-180				
14	MASTERS	5	175-209			LQD	

JAN 27 2017

RECEIVED

15	U CARNEY	4	100-180			
15	L CARNEY	9	128-214			
15	MASTERS	4	147-253			
16	MONARCH	0-15	0-3			
16	U CARNEY	4-6	40-100			
16	L CARNEY	8-9	47-136			
16	MASTERS	6	65-185			
17	MONARCH	0-17	0-89	30-39WP	0-5.5	
17	U CARNEY	2-5	20-160			
17	L CARNEY	8-9	31-193			
17	MASTERS	4-6	64-237			
18	U CARNEY	0-4	15-45			
18	L CARNEY	2-6	15-61			
18	MASTERS	5	37-97			
19	U CARNEY	4-6	20-60			
19	L CARNEY	2-8	24-76			
19	MASTERS	5	56-124			
20	MONARCH	0-7	0-32			
20	U CARNEY	2-5	20-60			
20	L CARNEY	2-7	22-74			
20	MASTERS	5	54-111			

Notes: WP = where present, as much of the sandstone exists as lenses of varying thicknesses and may not show up in the entire block. Blocks 1, 2, 7, 8, 10 west, 13-16, and 18-20 have no sandstone. In Blocks 3 and 4, the sandstone is present as a thick bed of sandstone. This sandstone thickens towards the south and is thickest south of the blocks and is present as roof of the Carney and floor of the Monarch. In Blocks 5 and 6, the sandstone is thickest in the middle and thins north and south. It is closer to the Carney in the south half of the block and becomes further above the Carney towards the north, where it pinches out to become absent. Between Blocks 5 and 6 in Borehole 578409-MST-UB, there exists 4 small sand intervals above the Carney, the first is 3 ft. above and 3 ft. thick, the second is 18 ft. above and is 3 ft. thick. Between this is an unnamed coal bed which is 5 ft. thick at 32 ft. above the Carney. 50 ft. above the Carney is a 14 ft. thick bed and at 74 ft. above is a 2 ft. thick bed. In Block 9 east of the Carney split, the sandstone exists for both floor and roof material for the Carney and roof material for the Masters. In Block 9 west of the split, sandstone is present in various thicknesses as the roof of the upper Carney, floor of the lower Carney, and roof of the Masters. In Block 10, the sandstone is only present in the southern 35 ft. in Section I-I' and thickens to the south. For Blocks 11 and 12, the sandstone is present in various thicknesses where it exists and is found in the roof of the upper Carney, floor of the lower Carney, and roof of the Masters. In Block 17, the sandstone is only present in northwest corner above the Monarch.

LQD  
JAN 27 2017  
RECEIVED