

RECEIVED

APR 30 2007

2006 PRE-DISCHARGE EVALUATION FOR
SECTION 20 ANALYSIS
IRRIGATION/SOIL SUITABILITY
COLLINS DRAW, WYOMING

Prepared for

Norwest Applied Hydrology Associates, Inc.
950 South Cherry Street, Suite 810
Denver, CO 80246

Prepared by

BKS Environmental Associates, Inc.
P.O. Box 3467
Gillette, WY 82717

March 6, 2007

2006 PRE-DISCHARGE EVALUATION FOR SECTION 20 ANALYSIS
 IRRIGATION/SOIL SUITABILITY
 COLLINS DRAW, WYOMING
 March 6, 2007

TABLE OF CONTENTS

Description	Page No.
I. INTRODUCTION	1
II. METHODOLOGY	1
III. RESULTS	3
IV. DISCUSSION	9
V. IMPACTS OF AGRICULTURAL USE OF CBNG DISCHARGE WATER ON THE SOILS IN THIS AREA.....	9
VI. REFERENCES	10

Table No.	Description	Page No.
1.	Field Summary, Collins Draw 2006 Field Reconnaissance.....	2
2.	Qualitative Field Observations within Collins Draw Fields.....	11
3.	Soil Analysis Summary between Collins Draw Fields	12
4.	Correlation Analysis between ESP and SAR Values	18
5.	Correlation Analysis between EC and SAR Values.....	19
6.	Texture and Percent Sand, Silt, and Clay between Collins Draw Fields.	20
7.	X-Ray Defraction Results for the Bulk Fraction of the Collins Draw Field Samples	24
8.	X-Ray Defraction Results for 2um Fractions of the Collins Draw Field Samples	26
9.	Location of Points Sampled within the Collins Draw Fields.....	107

Addendum No.	Description	Page No.
1.	Graphical Representation of Soil Data	27
2.	Photographs of 2006 Soil Sampling	58
3.	NRCS Soil Mapping of Area	70
4.	NRCS Map Unit Description	74
5.	NRCS Series Descriptions	90
6.	Map of 2006 Soil Sample Locations	105

2006 PRE-DISCHARGE EVALUATION FOR SECTION 20 ANALYSIS
IRRIGATION/SOIL SUITABILITY
COLLINS DRAW, WYOMING
March 6, 2007

Table 3: Soil Analysis Summary between Collins Draw Sample Points

Field	Sample I.D.	Total Depth (inches)	EC mmhos/cm	pH s.u.	Ca meq/L	Mg meq/L	Na meq/L	SAR	CEC meq/100g	ESP %	Organic Matter
1	Collins 1	0-12	.49	8.2	2.8	2.1	0.97	0.62	16.0	1.60	0.78
		12-24	.67	8.1	3.0	2.0	3.10	1.98	15.0	2.50	
		24-36	.85	8.1	4.7	2.7	3.50	1.85	11.0	4.60	
		36-48	1.99	7.9	16.0	6.6	5.90	1.79	14.0	0.44	
1	Collins 2	0-12	.66	7.9	5.8	2.0	0.53	0.27	14.0	1.60	0.82
		12-24	.66	7.8	5.8	2.0	0.52	0.27	14.0	1.70	
		24-36	.82	7.9	7.3	3.0	0.92	0.41	12.0	1.80	
		36-48	1.24	8.0	11.0	4.7	1.60	0.58	11.0	1.60	
1	Collins 3	0-12	.63	7.9	5.2	1.9	0.73	0.39	13.0	0.36	1.40
		12-24	2.25	7.8	23.0	7.7	3.30	0.85	13.0	0.93	
		24-36	1.74	7.9	17.0	6.5	1.90	0.57	13.0	0.64	
		36-48	2.01	7.8	21.0	8.6	1.70	0.44	13.0	0.91	
1	Collins 4	0-12	0.40	8.0	2.7	1.7	0.62	0.42	14.0	0.82	0.93
		12-24	0.56	7.9	3.3	1.8	2.10	1.35	14.0	1.10	
		24-36	0.65	7.9	3.8	1.7	2.80	1.68	12.0	1.40	
		36-48	1.48	7.7	12.0	4.5	3.80	1.32	19.0	0.81	
1	Collins 5	0-12	0.72	7.8	6.4	2.3	0.57	0.27	15.0	0.49	1.40
		12-24	2.68	7.7	30.0	11.0	2.00	0.44	12.0	0.54	
		24-36	2.77	7.8	32.0	12.0	2.10	0.44	13.0	0.56	
		36-48	2.28	7.8	25.0	9.2	1.50	0.36	13.0	0.64	
1	Collins 6	0-12	0.58	8.0	4.3	1.9	0.85	0.48	28.0	0.48	1.40
		12-24	0.57	8.0	3.6	1.8	1.60	0.96	29.0	0.67	
		24-36	0.60	8.1	3.6	1.8	1.60	0.99	19.0	0.97	
		36-48	0.51	8.0	3.1	1.6	1.50	0.99	11.0	1.10	
1	Collins 7	0-12	0.60	8.0	4.6	2.0	0.44	0.24	13.0	0.74	1.00
		12-24	0.64	7.9	4.9	2.0	0.46	0.25	12.0	0.76	
		24-36	0.67	7.7	5.1	2.0	0.45	0.24	13.0	0.24	
		36-48	0.76	7.7	5.6	2.1	0.63	0.32	11.0	1.10	
1	Collins 8	0-12	0.58	8.0	5.2	1.7	0.30	0.16	13.0	0.94	1.20
		12-24	0.54	8.2	4.4	1.7	0.70	0.40	13.0	1.20	
		24-36	1.13	8.1	10.0	3.5	1.30	0.50	13.0	1.40	
		36-48	2.43	8.0	25.0	10.0	1.70	0.41	12.0	1.40	

2006 PRE-DISCHARGE EVALUATION FOR SECTION 20 ANALYSIS
IRRIGATION/SOIL SUITABILITY
COLLINS DRAW, WYOMING
March 6, 2007

Table 3: Soil Analysis Summary between Collins Draw Sample Points continued

Field	Sample I.D.	Total Depth (inches)	EC mmhos/cm	pH s.u.	Ca meq/L	Mg meq/L	Na meq/L	SAR	CEC meq/100g	ESP %	Organic Matter
2	Collins 9	0-12	0.44	8.2	3.6	1.3	0.44	0.28	14.0	1.10	1.00
		12-24	0.42	8.2	3.0	1.1	1.00	0.71	12.0	1.70	
		24-36	0.64	8.3	4.7	1.7	1.30	0.73	10.0	1.90	
		36-48	0.93	8.5	7.2	2.4	1.30	0.60	15.0	1.40	
2	Collins 10	0-12	0.47	8.4	3.6	1.6	0.30	0.18	20.0	0.82	1.50
		12-24	0.48	8.0	3.7	1.5	0.36	0.22	18.0	0.86	
		24-36	0.46	8.0	3.9	1.5	0.43	0.26	14.0	1.10	
		36-48	0.38	8.2	2.9	1.2	0.43	0.30	7.9	1.70	
2	Collins 11	0-12	0.49	7.9	4.6	1.6	0.34	0.20	16.0	1.90	1.40
		12-24	0.50	8.1	3.8	1.4	1.40	0.86	16.0	2.10	
		24-36	1.82	7.9	19.0	5.9	2.70	0.79	15.0	1.30	
		36-48	1.92	7.9	21.0	6.7	1.80	0.49	17.0	0.28	
2	Collins 12	0-12	0.44	7.9	4.1	1.4	0.12	0.07	20.0	0.59	1.40
		12-24	0.39	7.9	3.3	1.2	0.19	0.13	13.0	0.89	
		24-36	0.36	8.2	2.9	1.1	0.19	0.14	7.5	1.60	
		36-48	0.37	8.5	2.7	1.2	0.22	0.16	4.8	2.20	
3A	Collins 13	0-12	0.55	8.0	5.2	1.7	0.19	0.10	14.0	0.74	1.20
		12-24	0.34	8.1	2.8	1.0	0.22	0.13	13.0	0.93	
		24-36	0.66	7.9	6.0	1.9	0.19	0.13	13.0	0.96	
		36-48	0.64	8.0	5.3	1.6	0.18	0.10	12.0	1.00	
3A	Collins 14	0-12	0.35	8.2	2.9	1.0	0.25	0.08	7.3	1.40	0.18
		12-24	0.34	8.6	2.3	1.1	0.18	0.13	4.7	2.50	
		24-36	0.29	8.7	2.1	1.0	0.12	0.15	4.6	2.10	
		36-48	0.24	7.9	1.6	0.9	0.17	0.18	4.8	2.10	
3B	Collins 15	0-12	0.63	7.4	5.2	2.0	0.18	0.19	16.0	0.82	1.20
		12-24	0.47	7.7	3.8	1.3	0.20	0.32	13.0	1.10	
		24-36	0.38	7.8	2.8	1.1	0.36	0.29	11.0	1.10	
		36-48	0.47	7.6	3.3	1.5	0.52	0.37	13.0	0.92	
3B	Collins 16	0-12	0.27	7.8	2.0	1.0	0.16	0.13	11.0	0.74	0.56
		12-24	0.28	8.0	1.9	1.1	0.21	0.17	5.5	1.70	
		24-36	0.24	8.0	1.6	0.9	0.18	0.16	6.1	1.40	
		36-48	0.30	7.9	2.2	1.0	0.31	0.25	10.0	0.85	

2006 PRE-DISCHARGE EVALUATION FOR SECTION 20 ANALYSIS
IRRIGATION/SOIL SUITABILITY
COLLINS DRAW, WYOMING
March 6, 2007

Table 3: Soil Analysis Summary between Collins Draw Sample Points continued

Field	Sample I.D.	Total Depth (inches)	EC mmhos/cm	pH s.u.	Ca meq/L	Mg meq/L	Na meq/L	SAR	CEC meq/100g	ESP %	Organic Matter
3C	Collins 17	0-12	0.44	7.7	3.6	1.3	0.25	0.16	16.0	0.51	0.80
		12-24	0.43	7.7	3.2	1.4	0.89	0.59	18.0	0.99	
		24-36	2.30	7.5	20.0	9.4	2.90	0.77	11.0	1.40	
		36-48	2.38	7.6	23.0	8.6	3.20	0.82	11.0	1.30	
3C	Collins 18	0-12	0.30	7.9	2.4	0.8	0.13	0.11	7.2	0.83	0.15
		12-24	0.33	8.0	2.3	1.0	0.25	0.19	6.8	1.00	
		24-36	0.48	7.7	3.1	1.8	0.21	0.14	14.0	0.48	
		36-48	0.47	7.8	3.3	1.6	0.22	0.14	8.6	0.93	
3C	Collins 19	0-12	0.38	7.9	3.2	1.3	0.30	0.20	14.0	0.61	0.89
		12-24	0.49	7.8	3.0	1.4	1.20	0.82	15.0	1.10	
		24-36	1.14	7.3	8.4	3.5	2.60	1.07	16.0	1.20	
		36-48	1.70	7.7	13.0	6.1	2.50	0.81	16.0	1.90	
4A	Collins 20	0-12	0.73	7.6	6.5	2.3	0.30	0.14	22.0	0.43	2.40
		12-24	0.97	7.8	7.0	2.9	0.81	0.36	18.0	0.66	
		24-36	0.64	7.9	4.4	1.8	0.75	0.42	8.3	1.10	
		36-48	0.79	7.9	5.2	2.1	1.40	0.74	9.9	1.20	
4A	Collins 21	0-12	0.54	7.7	4.9	1.3	0.19	0.11	16.0	0.39	1.20
		12-24	2.13	7.6	24.0	5.5	0.47	0.12	22.0	0.37	
		24-36	2.49	7.5	28.0	7.0	1.40	0.34	25.0	0.59	
		36-48	2.58	7.5	28.0	6.5	1.40	0.32	24.0	0.62	
4B	Collins 22	0-12	0.57	7.7	4.9	2.0	0.23	0.12	17.0	0.22	2.00
		12-24	0.29	7.7	4.3	1.8	0.20	0.11	18.0	0.29	
		24-36	0.60	7.6	4.5	1.5	1.30	0.73	14.0	1.20	
		36-48	1.14	7.6	8.7	2.9	2.30	0.95	21.0	1.10	
4B	Collins 23	0-12	0.65	7.5	5.2	2.2	0.43	0.22	22.0	0.33	1.50
		12-24	1.06	7.6	7.5	3.7	2.30	0.95	20.0	1.10	
		24-36	2.74	7.5	24.0	12.0	5.90	1.40	21.0	1.60	
		36-48	2.51	7.5	22.0	11.0	4.50	1.12	18.0	1.00	
4B	Collins 24	0-12	0.72	7.6	5.3	2.2	0.63	0.33	23.0	0.75	2.00
		12-24	2.63	7.5	23.0	10.0	4.90	1.21	22.0	1.60	
		24-36	1.93	7.6	16.0	6.8	3.70	1.10	23.0	1.50	
		36-48	1.48	7.6	12.0	4.7	2.30	0.81	24.0	1.20	

2006 PRE-DISCHARGE EVALUATION FOR SECTION 20 ANALYSIS
IRRIGATION/SOIL SUITABILITY
COLLINS DRAW, WYOMING
March 6, 2007

Table 3: Soil Analysis Summary between Collins Draw Sample Points continued

Field	Sample I.D.	Total Depth (inches)	EC mmhos/cm	pH s.u.	Ca meq/L	Mg meq/L	Na meq/L	SAR	CEC meq/100g	ESP %	Organic Matter
4B	Collins 25	0-12	0.60	7.6	4.9	2.1	0.39	0.21	20.0	0.44	1.40
		12-24	0.53	7.7	3.7	1.8	0.97	0.58	20.0	0.89	
		24-36	0.93	7.7	6.6	2.9	1.70	0.79	14.0	1.00	
		36-48	2.70	7.6	28.0	9.7	4.40	1.02	23.0	1.60	
4B	Collins 26	0-12	0.61	7.6	4.8	1.8	0.22	0.12	26.0	0.26	1.40
		12-24	0.54	7.7	4.1	1.7	0.29	0.17	15.0	0.37	
		24-36	0.38	7.8	2.9	1.3	0.29	0.20	17.0	0.37	
		36-48	0.52	7.8	3.8	1.8	0.39	0.23	18.0	0.43	
4C	Collins 27	0-12	0.84	7.7	7.8	2.4	0.31	0.14	18.0	0.30	1.90
		12-24	0.96	7.8	6.9	3.2	1.50	0.66	18.0	0.90	
		24-36	3.06	7.8	28.0	15.0	5.10	1.11	17.0	2.30	
		36-48	3.61	7.8	34.0	15.0	5.70	1.15	18.0	1.70	
5	Collins 28	0-12	0.88	7.6	7.2	2.4	0.18	0.08	27.0	0.20	2.40
		12-24	0.66	7.7	4.8	2.3	0.61	0.32	29.0	0.49	
		24-36	1.18	7.7	9.3	4.2	1.90	0.73	30.0	1.10	
		36-48	2.25	7.6	22.0	8.6	3.20	0.83	38.0	0.96	
5	Collins 29	0-12	0.58	7.8	5.0	1.6	0.38	0.21	18.0	0.26	1.10
		12-24	0.72	7.7	5.8	1.8	1.10	0.56	17.0	0.63	
		24-36	2.54	7.6	5.9	1.5	0.61	0.32	15.0	1.40	
		36-48	2.88	7.8	32.0	9.6	3.20	0.70	11.0	0.77	
5	Collins 30	0-12	0.69	7.6	6.4	2.2	0.30	0.14	20.0	0.31	1.70
		12-24	0.44	7.8	3.4	1.4	0.63	0.41	18.0	0.55	
		24-36	2.74	7.6	27.0	9.7	3.80	0.88	23.0	1.30	
		36-48	2.88	7.4	28.0	10.0	4.70	1.08	21.0	1.30	
5	Collins 31	0-12	0.67	7.4	6.3	1.5	0.16	0.08	16.0	0.21	1.00
		12-24	2.14	7.5	23.0	7.5	0.96	0.25	22.0	0.29	
		24-36	2.57	7.4	29.0	8.4	2.00	0.47	16.0	0.81	
		36-48	1.14	7.6	10.0	3.4	1.50	0.66	15.0	0.88	
5	Collins 32	0-12	0.99	7.4	9.2	2.1	0.24	0.10	18.0	0.26	1.50
		12-24	0.56	7.6	5.0	1.4	0.29	0.16	15.0	0.36	
		24-36	0.77	7.6	6.8	1.9	1.10	0.52	18.0	0.21	
		36-48	2.49	7.5	30.0	7.9	1.20	0.27	17.0	0.54	

2006 PRE-DISCHARGE EVALUATION FOR SECTION 20 ANALYSIS
IRRIGATION/SOIL SUITABILITY
COLLINS DRAW, WYOMING
March 6, 2007

Table 3: Soil Analysis Summary between Collins Draw Sample Points continued

Field	Sample I.D.	Total Depth (inches)	EC mmhos/cm	pH s.u.	Ca meq/L	Mg meq/L	Na meq/L	SAR	CEC meq/100g	ESP %	Organic Matter
5	Collins 33	0-12	0.66	7.5	5.5	1.3	0.23	0.13	23.0	0.24	2.30
		12-24	0.84	7.6	5.6	1.5	0.51	0.27	13.0	0.44	
		24-36	1.21	7.6	8.8	2.9	3.70	1.51	18.0	1.90	
		36-48	2.26	7.5	18.0	5.7	6.30	1.82	19.0	2.50	
5	Collins 34	0-12	0.89	7.4	7.8	2.2	0.48	0.22	22.0	0.32	2.60
		12-24	0.66	7.4	6.2	1.7	0.41	0.21	22.0	0.34	
		24-36	0.42	7.5	3.1	1.1	0.30	0.20	24.0	0.41	
		36-48	0.38	7.6	2.8	1.0	0.28	0.20	23.0	0.36	
5	Collins 35	0-12	0.60	7.6	4.6	1.6	1.10	0.60	16.0	0.94	1.40
		12-24	0.91	7.6	7.5	2.7	1.50	0.67	16.0	1.10	
		24-36	2.64	7.5	26.0	9.4	4.20	1.00	17.0	1.60	
		36-48	2.77	7.6	5.3	2.0	1.00	0.53	15.0	3.40	
6A	Collins 36	0-12	0.68	7.4	7.0	2.0	0.34	0.16	17.0	0.46	1.50
		12-24	1.10	7.2	11.0	3.2	0.99	0.38	21.0	0.72	
		24-36	0.88	7.6	6.2	1.7	0.88	0.44	14.0	0.50	
		36-48	0.46	7.6	10.0	3.0	0.98	0.38	16.0	0.47	
6A	Collins 37	0-12	0.57	7.3	7.6	2.3	0.24	0.11	26.0	0.14	2.30
		12-24	1.75	7.6	4.1	1.4	0.30	0.18	23.0	0.23	
		24-36	2.06	7.5	5.3	1.9	0.64	0.34	24.0	0.36	
		36-48	0.45	7.5	15.0	6.5	2.90	0.87	24.0	0.95	
6B	Collins 39	0-12	2.06	7.4	18.0	4.6	0.35	0.10	28.0	0.13	2.10
		12-24	0.45	7.5	4.2	1.2	0.19	0.11	31.0	0.12	
		24-36	0.54	7.6	4.8	1.4	0.30	0.17	25.0	0.16	
		36-48	0.39	7.5	3.4	1.1	0.17	0.11	28.0	0.14	
6B	Collins 40	0-12	0.99	7.0	7.3	2.6	0.23	0.10	15.0	0.17	1.40
		12-24	1.10	7.3	6.2	3.1	1.20	0.55	14.0	0.53	
		24-36	10.50	7.2	66.0	46.0	21.00	2.78	17.0	2.60	
		36-48	9.15	7.4	59.0	35.0	27.00	3.89	21.0	3.70	
6B	Collins 41	0-12	0.86	7.4	7.1	2.3	0.21	0.10	26.0	0.23	2.50
		12-24	0.54	7.5	4.1	1.6	0.42	0.25	28.0	0.36	
		24-36	0.49	7.4	3.9	1.5	0.62	0.38	37.0	0.40	
		36-48	0.76	7.6	5.5	2.0	1.50	0.77	28.0	1.10	

2006 PRE-DISCHARGE EVALUATION FOR SECTION 20 ANALYSIS
 IRRIGATION/SOIL SUITABILITY
 COLLINS DRAW, WYOMING
 March 6, 2007

Table 3: Soil Analysis Summary between Collins Draw Sample Points continued

Field	Sample I.D.	Total Depth (inches)	EC mmhos/cm	pH s.u.	Ca meq/L	Mg meq/L	Na meq/L	SAR	CEC meq/100g	ESP %	Organic Matter
6B	Collins 42	0-12	0.95	7.4	7.5	2.5	0.39	0.17	19.0	0.27	1.20
		12-24	2.91	7.4	30.0	11.0	3.40	0.75	21.0	0.89	
		24-36	4.64	7.4	34.0	12.0	19.00	3.94	19.0	6.40	
		36-48	8.24	7.8	22.0	17.0	75.00	17.00	15.0	23.00	
6B	Collins 43	0-12	1.01	7.4	8.2	2.7	0.58	0.25	21.0	0.43	5.50
		12-24	0.85	7.6	6.3	2.5	0.89	0.42	20.0	0.80	
		24-36	0.74	7.6	5.4	2.2	1.30	0.67	19.0	1.40	
		36-48	2.30	7.5	23.0	8.4	3.30	0.83	12.0	3.30	

Color Key

	Marginal
	Unsuitable

2006 PRE-DISCHARGE EVALUATION FOR SECTION 20 ANALYSIS
IRRIGATION/SOIL SUITABILITY
COLLINS DRAW, WYOMING
 March 6, 2007

Table 4: Correlation Analysis between ESP and SAR Values

Field	Sample I.D.	SAR 0-12"	ESP 0-12"	SAR 12-24"	ESP 12-24"	SAR 24-36"	ESP 24-36"	SAR 36-48"	ESP 36-48"
1	1	0.62	1.6	1.98	2.5	1.85	4.6	1.79	0.44
1	2	0.27	1.6	0.27	1.7	0.41	1.8	0.58	1.6
1	3	0.39	0.36	0.85	0.93	0.57	0.64	0.44	0.91
1	4	0.42	0.82	1.35	1.1	1.68	1.4	1.32	0.81
1	5	0.27	0.49	0.44	0.54	0.44	0.56	0.36	0.64
1	6	0.48	0.48	0.96	0.67	0.99	0.97	0.99	1.1
1	7	0.24	0.74	0.25	0.76	0.24	0.24	0.32	1.1
1	8	0.16	0.94	0.4	1.2	0.5	1.4	0.41	1.4
2	9	0.28	1.1	0.71	1.7	0.73	1.9	0.6	1.4
2	10	0.17	0.82	0.2	0.86	0.26	1.1	0.3	1.7
2	11	0.2	1.9	0.86	2.1	0.79	1.3	0.49	0.28
2	12	0.07	0.59	0.13	0.89	0.14	1.6	0.16	2.2
3A	13	0.1	0.74	0.13	0.93	0.13	0.96	0.1	1
3A	14	0.08	1.4	0.13	2.5	0.15	2.1	0.18	2.1
3B	15	0.19	0.82	0.32	1.1	0.29	1.1	0.37	0.92
3B	16	0.13	0.74	0.17	1.7	0.16	1.4	0.25	0.85
3C	17	0.16	0.51	0.59	0.99	0.77	1.4	0.82	1.3
3C	18	0.11	0.83	0.19	1	0.14	0.48	0.14	0.93
3C	19	0.2	0.61	0.82	1.1	1.07	1.2	0.81	1.9
4A	20	0.14	0.43	0.36	0.66	0.42	1.1	0.74	1.2
4A	21	0.11	0.39	0.12	0.37	0.34	0.59	0.32	0.62
4B	22	0.12	0.22	0.11	0.29	0.73	1.2	0.95	1.1
4B	23	0.22	0.33	0.95	1.1	1.4	1.6	1.12	1
4B	24	0.33	0.75	1.21	1.6	1.1	1.5	0.81	1.2
4B	25	0.21	0.44	0.58	0.89	0.79	1	1.02	1.6
4B	26	0.12	0.26	0.17	0.37	0.2	0.37	0.23	0.43
4C	27	0.14	0.3	0.66	0.9	1.11	2.3	1.15	1.7
5	28	0.08	0.2	0.32	0.49	0.73	1.1	0.83	0.96
5	29	0.21	0.26	0.56	0.63	0.32	1.4	0.7	0.77
5	30	0.14	0.31	0.41	0.55	0.88	1.3	1.08	1.3
5	31	0.08	0.21	0.25	0.29	0.47	0.81	0.56	0.88
5	32	0.1	0.26	0.16	0.36	0.52	0.21	0.27	0.54
5	33	0.13	0.24	0.27	0.44	1.51	1.9	1.82	2.5
5	34	0.22	0.32	0.21	0.34	0.2	0.41	0.2	0.36
5	35	0.6	0.94	0.67	1.1	1	1.6	0.53	3.4
6A	36	0.16	0.46	0.38	0.72	0.44	0.5	0.38	0.47
6A	37	0.11	0.14	0.18	0.23	0.34	0.36	0.87	0.95
6B	39	0.1	0.13	0.11	0.12	0.17	0.16	0.11	0.14
6B	40	0.1	0.17	0.55	0.53	2.78	2.6	3.8	3.7
6B	41	0.1	0.23	0.25	0.36	0.38	0.4	0.77	1.1
6B	42	0.17	0.27	0.75	0.89	3.94	6.4	17	23
6B	43	0.25	0.43	0.42	0.8	0.67	1.4	0.83	3.3
Correlation		0.40		0.50		0.81		0.97	

2006 PRE-DISCHARGE EVALUATION FOR SECTION 20 ANALYSIS
IRRIGATION/SOIL SUITABILITY
COLLINS DRAW, WYOMING
 March 6, 2007

Table 5: Correlation Analysis between EC and SAR Values

Field	Sample I.D.	SAR 0-12"	EC 0-12"	SAR 12-24"	EC 12-24"	SAR 24-36"	EC 24-36"	SAR 36-48"	EC 36-48"
1	1	0.62	0.49	1.98	0.67	1.85	0.85	1.79	1.99
1	2	0.27	0.66	0.27	0.66	0.41	0.82	0.58	1.24
1	3	0.39	0.63	0.85	2.25	0.57	1.74	0.44	2.01
1	4	0.42	0.4	1.35	0.56	1.68	0.65	1.32	1.48
1	5	0.27	0.72	0.44	2.68	0.44	2.77	0.36	2.28
1	6	0.48	0.58	0.96	0.57	0.99	0.6	0.99	0.51
1	7	0.24	0.6	0.25	0.64	0.24	0.67	0.32	0.76
1	8	0.16	0.58	0.4	0.54	0.5	1.13	0.41	2.43
2	9	0.28	0.44	0.71	0.42	0.73	0.64	0.6	0.93
2	10	0.17	0.47	0.2	0.48	0.26	0.46	0.3	0.38
2	11	0.2	0.49	0.86	0.5	0.79	1.82	0.49	1.92
2	12	0.07	0.44	0.13	0.39	0.14	0.36	0.16	0.37
3A	13	0.1	0.55	0.13	0.34	0.13	0.66	0.1	0.64
3A	14	0.08	0.35	0.13	0.34	0.15	0.29	0.18	0.24
3B	15	0.19	0.63	0.32	0.47	0.29	0.38	0.37	0.47
3B	16	0.13	0.27	0.17	0.28	0.16	0.24	0.25	0.3
3C	17	0.16	0.44	0.59	0.43	0.77	2.3	0.82	2.38
3C	18	0.11	0.3	0.19	0.33	0.14	0.48	0.14	0.47
3C	19	0.2	0.38	0.82	0.49	1.07	1.14	0.81	1.7
4A	20	0.14	0.73	0.36	0.97	0.42	0.64	0.74	0.79
4A	21	0.11	0.54	0.12	2.13	0.34	2.49	0.32	2.58
4B	22	0.12	0.57	0.11	0.29	0.73	0.6	0.95	1.14
4B	23	0.22	0.65	0.95	1.06	1.4	2.74	1.12	2.51
4B	24	0.33	0.72	1.21	2.63	1.1	1.93	0.81	1.48
4B	25	0.21	0.6	0.58	0.53	0.79	0.93	1.02	2.7
4B	26	0.12	0.61	0.17	0.54	0.2	0.38	0.23	0.52
4C	27	0.14	0.84	0.66	0.96	1.11	3.06	1.15	3.61
5	28	0.08	0.88	0.32	0.66	0.73	1.18	0.83	2.25
5	29	0.21	0.58	0.56	0.72	0.32	2.54	0.7	2.88
5	30	0.14	0.69	0.41	0.44	0.88	2.74	1.08	2.88
5	31	0.08	0.67	0.25	2.14	0.47	2.57	0.56	1.14
5	32	0.1	0.99	0.16	0.56	0.52	0.77	0.27	2.49
5	33	0.13	0.66	0.27	0.84	1.51	1.21	1.82	2.26
5	34	0.22	0.89	0.21	0.66	0.2	0.42	0.2	0.38
5	35	0.6	0.6	0.67	0.91	1	2.64	0.53	2.77
6A	36	0.16	0.68	0.38	1.08	0.44	0.68	0.38	1.1
6A	37	0.11	0.88	0.18	0.46	0.34	0.57	0.87	1.75
6B	39	0.1	2.06	0.11	0.45	0.17	0.54	0.11	0.39
6B	40	0.1	0.99	0.55	1.1	2.78	10.5	3.8	9.15
6B	41	0.1	0.86	0.25	0.54	0.38	0.49	0.77	0.76
6B	42	0.17	0.95	0.75	2.91	3.94	4.64	17	8.24
6B	43	0.25	1.01	0.42	0.85	0.67	0.74	0.83	2.3
Correlation		-0.19		0.22		0.66		0.71	