W 40055751

APR 3 0 2007

SECTION 20 COMPLIANCE ANALYSIS FOR PROPOSED CBNG PRODUCED WATER DISCHARGES BY YATES PETROLEUM CORPORATION, DEVON ENERGY CORPORATION, AND BILL BARRETT CORPORATION TO COTTONWOOD CREEK, CAMPBELL AND JOHNSON COUNTY, WYOMING

Prepared for:

Yates Petroleum Corporation P.O. Box 2560 Gillette, Wyoming 82717

Devon Energy Corporation 20 North Broadway, Suite 1500 Oklahoma City, Oklahoma 73102

Bill Barrett Corporation 1099 18th Street, Suite 2300 Denver, CO 80202

Prepared by:

KC Harvey, Inc. 233 Edelweiss Drive, Unit 11 Bozeman, Montana 59718

April 18, 2007

Table 3. Sell chemical analysis results for the Cortonocod Creek sits. La

	T	T	T	1	-	T	T	T	Y	400	opene I	T	_			T	-	-	1	7	T	Terminal State of the State of	T	cynn	·T···	T	7	7	T"	1"	7	-	quo,	1		y	y	****		egenes.	-	que	-	ų.	ери	venu	gros	Signator .	1000000	Q2000	-
000		100	923	\$ 3	4.8	3.5	3.3	5.5	3.6	5.3	\$.5	5	1.3	9.6	**	8.8	7. 7	gn.	8.6	4.5	1.5	6.9	8.3	4.2	4.6	*	4.4	4.6	\$ 3	5.8	5.2	8.8	4.0	5.6	3.6	5.5	5.8	5.5	285	8.3	4.6	*	4.4	3.6	4.8	4.8	6.2	++	5.7	4.5	
Average ESP to a Depth of 48 backed *	7					3. 14						50.6						*****	777		Man	-Au-		-	relian.	345 5G	-	-	d		- Au	-kiiii	73.3	J	\$	å		L	£	7	1	1	٠		J.,,	1	13.6				12.5
Exchangeable Sodmin Percentage (ESP)			2.	2.3	14.77	7.7	4.2	3.8	13	5.1	200	4.5	53	25.	63	8.3	1.3	61	20	5.9	8.3	5.0	1	19	88.50	7.3	***************************************	13	\$3	4.4	Z	30	37	13	EQ.	5.5	吸水	22	23	21	T,	9.8	3.0	23	2.3	***	- 35	250		00	Average ESP:
Exchangeable Sodium	med 100 e	0.10	6.40	0.58	99.0	0+0	0.65	0.55	0.40	0.40	16	3.9	5.1	6.1	5.8	3.0	3.9	2.1	6.5	13	1.6	1.0	0,40	0.50		*	2.3	1.6	771	2.3	3.5	96	6.9	tri tri	7.7	1.6	6	***	***	69	*	ir,	13	1.3	3.3	**	3.8	3.4	ac.	×6,000	
Cause Estange Capacity (CEO	2000	123	65	22:	23	91	7.7	11	33	77	24	28	77	62	5.5	16.00	2.50	1010	29	68	61	13	33	1 22	23	25	36	23.5	**	*	25	23	35.	13	14	32	14	GP GP	40	33	50	2.2	13	4.3	37	3.6	63	40	15	, r,	
Sedium Adsorption Ratio (SAR)		253	990	26.00	2.3		×8.	4	6+9	976	4.5	18	12	13	4.5	2.9	**	eng eng	12	3.2	4.6	60,00	971	9.92	7.4	4.3	6.5	17	e e	3.0	20.0	53	14	2.4	6.1	80 30	\$,4	6.6	93	3.6		5.00	\$2	100	5.3	83	1.2	4.8	6.9	*9	
Sodium		0.89	0.53	\$ 60	5.5	(40) (41)	8.4	80c (80	0.90	1.2	18	48	\$3	65	33	53	8.8	38	3.5	473 282	14	13	1.2	1.3	92	91	27	15	e 4	11	51	99	3	30	36	33	18	37	79	34	129	25	22	5.6	18	55	45) 15)	365	Ti.	23	
	mea/l.	26.0		3.5	25.00	2.0	6.9	16	1.4	age over	0	**	80	35	16	80	25	2.5		17.0%	0		1.3	1.0	rii Pi	2.83	\$2	740	横游	8.0	200	74	Z,	\$5	4.	1.6	2.5	202	522	5167	23	86	2004	20	(%) (%)	13	D.	QC.	**	**	
Calment		3.0	10	÷y ;**	95	7.5	1.7	7.5	**		77	20	8.	5	35	51	20	g)	F	30	300	15		3.2	160	Qi.	**	20	10	30	en.	88	999	80	23	iri Gi	th:	1.8	- X	60	81	96	~~	6,8		82	888	1.1	117	18	
Average EC to a Depth of 43 inches	dS/m	12 14 1			*.		huod		\$ 0.0 th	5	Local	20				42.6			96 96	ll	e de la constante de la consta	L	126	5		**	L.						3.4				~	1	5000	74				200			4.9		J.		4.5
Electrical Conductivity at 25°C (EC)	dS		8.5%	0.4	2.2	1.4	68	3.0	54.8	0.68	3.2	\$.0	5.8	38	7.5	7	62	6.6	5.1	2.9	3.4	100	850	644 4	2.3	t). Pre	taci en	2.4	5,0	2.7	10.	6.2	6.4	9.5	40	3.3	43	1.5	3.4	\$4	20°2	\$ 2	8.0	0.77	3.1	e74 50	27.0	5.1	0.00	*2	Average EC.
Ħ	3.6.	3.5	2.6	***	7.	44	3.6	52	9.0	2.5	3.6	2.3	5.6	5.2	\$	3.6		6.2	5.0	3.5			3.6	2.5	7.6	3.8		N.	3.3	9.0	11	oei tei	90	5.0	92	200	2.3	7.7	200	F 9	00	6.2	6700 670 670	3.6	9.	8.0	8.0	7.6	7.9	3.5	
Depth	inches	6-6	5-12	12-24	26.35	36.4%	48-72	22-26	978	5-13	12.24	24-36	35-48	455.5	72-36	9-9	6-12	15.71	26-36	36-48	48-72	72-86	970	6-12	12-24	38-36	38-28	48-72	72.56	98	6.12	12-24	34-36	36-48	72-89	72-86	90	27.09	17.74	24-36	36-28	58-72	22-36	9:0	6-12	12.24	34-36	30-92	48-72	72-88	
N.								577075	Eschi 2						0.1/2/55	Pietd 3	.000					100000000000000000000000000000000000000	Figure 4							Facility 5				on code	co codi-	-	- PRING 9					tuno d		Facild 7	and.	uud.	-				

Material and the control of Exempor S-6, 1916 by RC Harry, he write a dichings Probe Sumples were analyzed by Energy Laborancies for, Helens, Mortans I Samples were confered by Energy Laborancies for, Helens, Mortans 1916 S., calcium, regarders and such as summer were confered of summer and summer as a following as a following a sample of a summer and summer as a summer as a summer and summer as a summer and summer as a summer and summer and summer as a summer and summ

Table 4. Expected CBNG produced water quality in the Cottonwood Creek area.

Analyte	Units	Livestock Watering Criteria ²	Yates ³ Outfall WY0049352-001	Yates ³ Outfall WY0049352-002	Devon ⁴ Outfall WY0046612	Barrett ⁵ Outfall WY0046612	Average CBNG Produced Water Quality ⁶
pH	S.14.	6.5 to 9	73	7.3	7.4	7.4	7.4
Electrical Conductivity (EC)	dS/m	7.5	1.8	1.7	1.3	2.3	1.8
Total Dissolved Solids (TDS)	mg/L	5000		-	800	1470	1135
Sodium Adsorption Ratio (SAR)			8.5	8.6	6.1	7.8	7.6
Anions							
Bicarbonate	mg/L	-	1300	1200	900	1730	1283
Cliforide	mg/L	2000	7.0	6.0	7.0	4.0	6.0
Fluoride	mg/L	4.0	0.80	0.8		0.9	0.83
Sulfate	nig/L	3000	্ব	1.0	nd l	3.0	2.0
Cations	 					H-1847-11-11-11-11-11-11-11-11-11-11-11-11-11	
Calcium	mg/L		76	67	59	134	84
Magnesium	mg/L		28	24	21	54	32
Potassium	mg/L		10	9.0		20	13
Sodium	mg/L	-	340	320	220	422	326
Messals ²							
Arsenic	ug/L	20	*		0.80	2.2	1.5
Boren	142/L	5000	*	-	-	*	-
Cadmium	ug/L	50	*		nd	<0.1	<0.1
Chromium	μg/L	1000	+	*		-	.*
Соррег	ng/L	500			nd	<)	<1
ead	µg/L	100	*	*	nd	<2	<2
Mercury	ug/L	10			nd	<0.06	<0.06
selenium	µg/L	50	*		nd	< 5	<5
Zinc	spe/L	2500	*		nd	<10	<10

Notes:

¹ Abbreviations used are as follows: s u = standard units, dS/m = deciSiemens per meter, mg/L = milligrams per liter, µg/L = micrograms per liter, and, nd = analyte not detected at the given reporting limit. "-" indicates the sample was not analyzed for a given parameter. Samples were analyzed by Energy Laboratories, Inc. Gillette, WY

² Livestock watering criteria are from WYDEQ (2006) and National Academy of Sciences (1972 and 1974).

³ Outfall WY0049352-001 was sampled on 7/21/2006; Outfall WY49352-002 was sampled on two occasions, 7/21/2006 and 9/05/2006, average values are listed. All samples were collected by Yates.

⁴ Oxaffall WY0046612 is located in the NESE of Section 28 in Township 42 N, Range 75 W. The sample was collected on 9/21/2004 by Devon

⁵ Outfall WY0046612 is located in the NESE of Section 28 in Township 42 N, Range 75 W. The sample was collected on 4/17/2006 by Devon

⁶ The median pH value is reported

⁷ Ansenic and selenium are quantified as total recoverable metals, and, boron, cadmium, chromium, copper, lead, mercury, and zinc are quantified as dissolved metals